



SYLLABUS

Cambridge O Level
Additional Mathematics

4037

For examination in June and November 2017, 2018 and 2019

Changes to syllabus for 2017, 2018 and 2019 This syllabus has been updated. Significant changes to the syllabus are indicated by black vertical lines either side of the text. You are advised to read the whole syllabus before planning your teaching programme.

Cambridge International Examinations retains the copyright on all its publications. Registered Centres are permitted to copy material from this booklet for their own internal use. However, we cannot give permission to Centres to photocopy any material that is acknowledged to a third party even for internal use within a Centre.

® IGCSE is the registered trademark of Cambridge International Examinations

© Cambridge International Examinations 2015

Contents

1.	Introduction	2
	1.1 Why choose Cambridge?1.2 Why choose Cambridge O Level?1.3 Why choose Cambridge O Level Additional Mathematics?1.4 How can I find out more?	
2.	Teacher support 2.1 Support materials 2.2 Endorsed resources 2.3 Training	5
3.	Assessment at a glance	6
4.	Syllabus aims and assessment objectives 4.1 Syllabus aims 4.2 Assessment objectives	7
5.	Syllabus content	8
6.	Mathematical notation	.12
7.	Resource list	. 17
8.	Other information	. 18

1. Introduction

1.1 Why choose Cambridge?

Cambridge International Examinations is part of the University of Cambridge. We prepare school students for life, helping them develop an informed curiosity and a lasting passion for learning. Our international qualifications are recognised by the world's best universities and employers, giving students a wide range of options in their education and career. As a not-for-profit organisation, we devote our resources to delivering high-quality educational programmes that can unlock learners' potential.

Our programmes set the global standard for international education. They are created by subject experts, are rooted in academic rigour, and provide a strong platform for progression. Over 10 000 schools in 160 countries work with us to prepare nearly a million learners for their future with an international education from Cambridge.

Cambridge learners

Cambridge programmes and qualifications develop not only subject knowledge but also skills. We encourage Cambridge learners to be:

- confident in working with information and ideas their own and those of others
- responsible for themselves, responsive to and respectful of others
- reflective as learners, developing their ability to learn
- innovative and equipped for new and future challenges
- **engaged** intellectually and socially, ready to make a difference.

Recognition

Cambridge O Level is internationally recognised by schools, universities and employers as equivalent in demand to Cambridge IGCSE® (International General Certificate of Secondary Education). There are over 700 000 entries a year in nearly 70 countries. Learn more at **www.cie.org.uk/recognition**

Support for teachers

A wide range of materials and resources is available to support teachers and learners in Cambridge schools. Resources suit a variety of teaching methods in different international contexts. Through subject discussion forums and training, teachers can access the expert advice they need for teaching our qualifications. More details can be found in Section 2 of this syllabus and at **www.cie.org.uk/teachers**

Support for exams officers

Exams officers can trust in reliable, efficient administration of exams entries and excellent personal support from our customer services. Learn more at **www.cie.org.uk/examsofficers**

Our systems for managing the provision of international qualifications and education programmes for learners aged 5 to 19 are certified as meeting the internationally recognised standard for quality management, ISO 9001:2008. Learn more at **www.cie.org.uk/ISO9001**

1.2 Why choose Cambridge O Level?

Cambridge O Levels have been designed for an international audience and are sensitive to the needs of different countries. These qualifications are designed for learners whose first language may not be English and this is acknowledged throughout the examination process. The Cambridge O Level syllabus also allows teaching to be placed in a localised context, making it relevant in varying regions.

Our aim is to balance knowledge, understanding and skills in our programmes and qualifications to enable students to become effective learners and to provide a solid foundation for their continuing educational journey.

Through our professional development courses and our support materials for Cambridge O Levels, we provide the tools to enable teachers to prepare learners to the best of their ability and work with us in the pursuit of excellence in education.

Cambridge O Levels are considered to be an excellent preparation for Cambridge International AS and A Levels, the Cambridge AICE (Advanced International Certificate of Education) Group Award, Cambridge Pre-U, and other education programmes, such as the US Advanced Placement program and the International Baccalaureate Diploma programme. Learn more about Cambridge O Levels at www.cie.org.uk/cambridgesecondary2

Guided learning hours

Cambridge O Level syllabuses are designed on the assumption that learners have about 130 guided learning hours per subject over the duration of the course, but this is for guidance only. The number of hours required to gain the qualification may vary according to local curricular practice and the learners' prior experience of the subject.

1.3 Why choose Cambridge O Level Additional Mathematics?

Cambridge O Levels are established qualifications that keep pace with educational developments and trends. The Cambridge O Level curriculum places emphasis on broad and balanced study across a wide range of subject areas. The curriculum is structured so that students attain both practical skills and theoretical knowledge.

Cambridge O Level Additional Mathematics is recognised by universities and employers throughout the world as proof of mathematical knowledge and understanding. Successful Cambridge O Level Additional Mathematics candidates gain lifelong skills, including:

- the further development of mathematical concepts and principles
- the extension of mathematical skills and their use in more advanced techniques
- an ability to solve problems, present solutions logically and interpret results
- a solid foundation for further study.

Students may also study for a Cambridge O Level in Mathematics and in Statistics. In addition to Cambridge O Levels, Cambridge also offers Cambridge IGCSE and Cambridge International AS and A Levels for further study in Mathematics as well as other maths-related subjects. See **www.cie.org.uk** for a full list of the qualifications you can take.

Prior learning

We recommend that candidates who are beginning this course should be currently studying or have previously studied Cambridge O Level or Cambridge IGCSE Mathematics.

Progression

Cambridge O Levels are general qualifications that enable candidates to progress either directly to employment, or to proceed to further qualifications.

Candidates who are awarded grades C to A in Cambridge O Level Additional Mathematics are well prepared to follow courses leading to Cambridge International AS and A Level Mathematics, or the equivalent.

1.4 How can I find out more?

If you are already a Cambridge school

You can make entries for this qualification through your usual channels. If you have any questions, please contact us at **info@cie.org.uk**

If you are not yet a Cambridge school

Learn about the benefits of becoming a Cambridge school at **www.cie.org.uk/startcambridge**. Email us at **info@cie.org.uk** to find out how your organisation can register to become a Cambridge school.

2. Teacher support

2.1 Support materials

We send Cambridge syllabuses, past question papers and examiner reports to cover the last examination series to all Cambridge schools.

You can also go to our public website at **www.cie.org.uk/olevel** to download current and future syllabuses together with specimen papers or past question papers and examiner reports from one series.

For teachers at registered Cambridge schools a range of additional support materials for specific syllabuses is available online from Teacher Support, our secure online support for Cambridge teachers. Go to http://teachers.cie.org.uk (username and password required).

2.2 Endorsed resources

We work with publishers providing a range of resources for our syllabuses including print and digital materials. Resources endorsed by Cambridge go through a detailed quality assurance process to ensure they provide a high level of support for teachers and learners.

We have resource lists which can be filtered to show all resources, or just those which are endorsed by Cambridge. The resource lists include further suggestions for resources to support teaching.

2.3 Training

We offer a range of support activities for teachers to ensure they have the relevant knowledge and skills to deliver our qualifications. See **www.cie.org.uk/events** for further information.

3. Assessment at a glance

All candidates will take two written papers.

The syllabus content will be assessed by Paper 1 and Paper 2.

Paper 1	Duration	Marks
10–12 questions of various lengths There will be no choice of question.	2 hours	80
Paper 2	Duration	Marks

Calculators

The syllabus assumes that candidates will be in possession of a silent electronic calculator with scientific functions for both papers. The General Regulations concerning the use of electronic calculators are contained in the *Cambridge Handbook*.

Mathematical Instruments

Apart from the usual mathematical instruments, candidates may use flexicurves in this examination.

Mathematical Notation

Attention is drawn to the list of mathematical notation at the end of this booklet.

Availability

This syllabus is examined in the June and November examination series.

This syllabus is available to private candidates.

Detailed timetables are available from www.cie.org.uk/examsofficers

Cambridge O Levels are available to Centres in Administrative Zones 3, 4 and 5. Centres in Administrative Zones 1, 2 or 6 wishing to enter candidates for Cambridge O Level examinations should contact Cambridge Customer Services.

Combining this with other syllabuses

Candidates can combine this syllabus in an examination series with any other Cambridge syllabus, except:

- syllabuses with the same title at the same level
- 0606 Cambridge IGCSE Additional Mathematics

Please note that Cambridge O Level, Cambridge IGCSE and Cambridge International Level 1/Level 2 Certificate syllabuses are at the same level.

4. Syllabus aims and assessment objectives

4.1 Syllabus aims

The aims of the syllabus listed below are not in order of priority. The aims are to enable candidates to:

- consolidate and extend their elementary mathematical skills, and use these in the context of more advanced techniques
- further develop their knowledge of mathematical concepts and principles, and use this knowledge for problem solving
- appreciate the interconnectedness of mathematical knowledge
- acquire a suitable foundation in mathematics for further study in the subject or in mathematics related subjects
- devise mathematical arguments and use and present them precisely and logically
- integrate information technology (IT) to enhance the mathematical experience
- develop the confidence to apply their mathematical skills and knowledge in appropriate situations
- develop creativity and perseverance in the approach to problem solving
- derive enjoyment and satisfaction from engaging in mathematical pursuits, and gain an appreciation of the beauty, power and usefulness of mathematics.

4.2 Assessment objectives

The examination will test the ability of candidates to:

- recall and use manipulative technique
- interpret and use mathematical data, symbols and terminology
- · comprehend numerical, algebraic and spatial concepts and relationships
- recognise the appropriate mathematical procedure for a given situation
- formulate problems into mathematical terms and select and apply appropriate techniques of solution.

5. Syllabus content

Knowledge of the content of Cambridge's Ordinary level Syllabus D (or an equivalent Syllabus) is assumed.

Cambridge O Level material which is not repeated in the syllabus below will not be tested directly but it may be required in response to questions on other topics.

Proofs of results will not be required unless specifically mentioned in the syllabus.

Candidates will be expected to be familiar with the scientific notation for the expression of compound units, e.g. 5 ms⁻¹ for 5 metres per second.

Theme or topic	Curriculum objectives	
	Candidates should be able to:	
1. Set language and notation	use set language and notation, and Venn diagrams to describe sets and represent relationships between sets as follows:	
	$A = \{x: x \text{ is a natural number}\}$	
	$B = \{(x, y): y = mx + c\}$	
	$C = \{x: a x b\}$	
	$D = \{a, b, c,\}$	
	 understand and use the following 	notation:
	Union of A and B	$A \cup B$
	Intersection of A and B	$A \cap B$
	Number of elements in set A	n(<i>A</i>)
	"is an element of"	€
	"is not an element of"	∉
	Complement of set A	A'
	The empty set	Ø
	Universal set	E
	A is a subset of B	$A \subseteq B$
	A is a proper subset of B	$A \subset B$
	A is not a subset of B	A <u>⊄</u> B
	A is not a proper subset of	A⊄B

Theme or topic	Curriculum objectives
2. Functions	 understand the terms: function, domain, range (image set), one-one function, inverse function and composition of functions use the notation f(x) = sin x, f: x → lg x, (x > 0), f -1(x) and f²(x) [= f(f(x))] understand the relationship between y = f(x) and y = f(x) , where f(x) may be linear, quadratic or trigonometric explain in words why a given function is a function or why it does not have an inverse find the inverse of a one-one function and form composite functions use sketch graphs to show the relationship between a function and its inverse
3. Quadratic functions	 find the maximum or minimum value of the quadratic function f: x → ax² + bx + c by any method use the maximum or minimum value of f(x) to sketch the graph or determine the range for a given domain know the conditions for f(x) = 0 to have: (i) two real roots, (ii) two equal roots, (iii) no real roots and the related conditions for a given line to (i) intersect a given curve, (ii) be a tangent to a given curve, (iii) not intersect a given curve solve quadratic equations for real roots and find the solution set for quadratic inequalities
4. Indices and surds	perform simple operations with indices and with surds, including rationalising the denominator
5. Factors of polynomials	 know and use the remainder and factor theorems find factors of polynomials solve cubic equations
6. Simultaneous equations	solve simultaneous equations in two unknowns with at least one linear equation
7. Logarithmic and exponential functions	 know simple properties and graphs of the logarithmic and exponential functions including ln x and e^x (series expansions are not required) and graphs of ke^{nx} + a and kln(ax + b) where n, k, a and b are integers know and use the laws of logarithms (including change of base of logarithms) solve equations of the form a^x = b

Theme or topic	Curriculum objectives
8. Straight line graphs	 interpret the equation of a straight line graph in the form y = mx + c transform given relationships, including y = axⁿ and y = Ab^x, to straight line form and hence determine unknown constants by calculating the gradient or intercept of the transformed graph solve questions involving mid-point and length of a line know and use the condition for two lines to be parallel or perpendicular
9. Circular measure	solve problems involving the arc length and sector area of a circle, including knowledge and use of radian measure
10. Trigonometry	 know the six trigonometric functions of angles of any magnitude (sine, cosine, tangent, secant, cosecant, cotangent) understand amplitude and periodicity and the relationship between graphs of, e.g. sin x and sin 2x draw and use the graphs of y = a sin (bx) + c y = a cos (bx) + c y = a tan (bx) + c where a and b are positive integers and c is an integer use the relationships sin A/cos A/sin A
11. Permutations and combinations	 recognise and distinguish between a permutation case and a combination case know and use the notation n! (with 0! = 1), and the expressions for permutations and combinations of n items taken r at a time answer simple problems on arrangement and selection (cases with repetition of objects, or with objects arranged in a circle or involving both permutations and combinations, are excluded)
12. Binomial expansions	 use the Binomial Theorem for expansion of (a + b)ⁿ for positive integral n use the general term (ⁿ_r) a^{n-r} b^r, 0 < r ≤ n (knowledge of the greatest term and properties of the coefficients is not required)

Theme or topic	Curriculum objectives
13. Vectors in 2 dimensions	• use vectors in any form, e.g. $\binom{a}{b}$, \overrightarrow{AB} , \mathbf{p} , $a\mathbf{i} - b\mathbf{j}$
	 know and use position vectors and unit vectors
	 find the magnitude of a vector, add and subtract vectors and multiply vectors by scalars
	compose and resolve velocities
	 use relative velocity, including solving problems on interception (but not closest approach)
14. Matrices	 display information in the form of a matrix of any order and interpret the data in a given matrix
	state the order of a given matrix
	 solve problems involving the calculation of the sum and product (where appropriate) of two matrices and interpret the results
	calculate the product of a scalar quantity and a matrix
	 use the algebra of 2 × 2 matrices (including the zero, O, and identity, I, matrix)
	 calculate the determinant and inverse, A⁻¹, of a non-singular 2 × 2 matrix and solve simultaneous linear equations
15. Differentiation and integration	understand the idea of a derived function
	• use the notations $f'(x)$, $f''(x)$, $\frac{dy}{dx}$, $\frac{d^2y}{dx^2}$, $\left[-\frac{d}{dx}\left(\frac{dy}{dx}\right)\right]$
	• use the derivatives of the standard functions x^n (for any rational n), $\sin x$, $\cos x$, $\tan x$, e^x , $\ln x$, together with constant multiples, sums and composite functions of these
	differentiate products and quotients of functions
	 apply differentiation to gradients, tangents and normals, stationary points, connected rates of change, small increments and approximations and practical maxima and minima problems
	 use the first and second derivative tests to discriminate between maxima and minima
	 understand integration as the reverse process of differentiation
	• integrate sums of terms in powers of x , excluding $\frac{1}{X}$
	• integrate functions of the form $(ax + b)n$ (excluding $n = -1$), e^{ax+b} , $\sin(ax + b)$, $\cos(ax + b)$
	 evaluate definite integrals and apply integration to the evaluation of plane areas
	 apply differentiation and integration to kinematics problems that involve displacement, velocity and acceleration of a particle moving in a straight line with variable or constant acceleration, and the use of x-t and v-t graphs

6. Mathematical notation

The list which follows summarises the notation used in the Cambridge's Mathematics examinations. Although primarily directed towards Advanced/HSC (Principal) level, the list also applies, where relevant, to examinations at Cambridge O Level/S.C.

Mathematical Notation

1. Set Notation

€	is an element of
€	is not an element of
$\{x_1, x_2, \ldots\}$	the set with elements x_1, x_2, \dots
{x:}	the set of all x such that
n(A)	the number of elements in set A
Ø	the empty set
E	universal set
A'	the complement of the set A
N	the set of natural numbers, {1, 2, 3,}
\mathbb{Z}	the set of integers $\{0, \pm 1, \pm 2, \pm 3,\}$
\mathbb{Z}^{+}	the set of positive integers {1, 2, 3,}
\mathbb{Z}_n	the set of integers modulo n , $\{0, 1, 2,, n-1\}$
$\mathbb Q$	the set of rational numbers
$\mathbb{Q}^{\scriptscriptstyle +}$	the set of positive rational numbers, $\{x \in \mathbb{Q}: x > 0\}$
$\mathbb{Q}_0^{\scriptscriptstyle +}$	the set of positive rational numbers and zero, $\{x \in \mathbb{Q}: x \ge 0\}$
\mathbb{R}	the set of real numbers
$\mathbb{R}^{\scriptscriptstyle +}$	the set of positive real numbers $\{x \in \mathbb{R}: x > 0\}$
$\mathbb{R}_0^{\scriptscriptstyle +}$	the set of positive real numbers and zero $\{x \in \mathbb{R}: x \ge 0\}$
\mathbb{R}^n	the real n tuples
\mathbb{C}	the set of complex numbers
\subseteq	is a subset of
\subset	is a proper subset of
⊈	is not a subset of
⊄	is not a proper subset of
\cup	union
\cap	intersection
[a, b]	the closed interval $\{x \in \mathbb{R}: a \le x \le b\}$
[a, b)	the interval $\{x \in \mathbb{R}: a \le x < b\}$
(a, b]	the interval $\{x \in \mathbb{R}: a < x < b\}$
(a, b)	the open interval $\{x \in \mathbb{R}: a < x < b\}$
yRx	y is related to x by the relation R
$y \sim x$	y is equivalent to x , in the context of some equivalence relation

2. Miscellaneous Symbols

= is equal to

≠ is not equal to

 \equiv is identical to or is congruent to

is approximately equal to

 \cong is isomorphic to ∞ is proportional to

<; \ll is less than, is much less than

 \leq , \Rightarrow is less than or equal to, is not greater than >; \gg is greater than, is much greater than

 \geqslant , \lessdot is greater than or equal to, is not less than

infinity

3. Operations

 ∞

a+b a plus b

a-b a minus b

 $a \times b$, ab, a.b a multiplied by b

 $a \div b$, $\frac{a}{b}$, a/b a divided by b

a:b the ratio of a to b

 $\sum_{i=1}^{n} a_i \qquad \qquad a_1 + a_2 + \ldots + a_n$

 \sqrt{a} the positive square root of the real number a

|a| the modulus of the real number a

 $n! \qquad \qquad n \text{ factorial for } n \in \mathbb{N} \text{ (0! = 1)}$ $\binom{n}{r} \qquad \qquad \text{the binomial coefficient } \frac{n!}{r!(n-r)!} \text{, for } n, \, r \in \mathbb{N}, \, 0 \leqslant r \leqslant n$

 $\dfrac{n(n-1)...(n-r+1)}{r!}$, for $n\in\mathbb{Q}$, $r\in\mathbb{N}$

4. Functions

f function f

f (x) the value of the function f at x

 $f: A \rightarrow B$ f is a function under which each element of set A has an image

in set I

 $f: x \mapsto y$ the function f maps the element x to the element y

 ${
m f}^{-1}$ the inverse of the function ${
m f}$

g o f, gf the composite function of f and g which is defined by

 $(g \circ f)(x)$ or gf(x) = g(f(x))

 $\lim_{x \to a} f(x)$ the limit of f(x) as x tends to a

 $x \rightarrow a$

 Δx ; δx an increment of x

 $\frac{\mathrm{d}y}{\mathrm{d}x}$ the derivative of y with respect to x

 $\frac{d^n y}{d^n y}$ the *n*th derivative of y with respect to x

 $\frac{1}{\mathrm{d}x^n}$

 $f'(x), f''(x), ..., f^{(n)}(x)$ the first, second, ..., nth derivatives of f(x) with respect to x

 $\int y dx$ indefinite integral of y with respect to x

 $\int_{a}^{b} y \, dx$ the definite integral of y with respect to x for values of x

between a and b

 $\frac{\partial y}{\partial x}$ the partial derivative of y with respect to x

 \dot{x}, \ddot{x}, \dots the first, second, ... derivatives of x with respect to time

5. Exponential and Logarithmic Functions

e base of natural logarithms e^x , exp x exponential function of x $log_a x$ logarithm to the base a of x natural logarithm of x

 $\lg x$ logarithm of x to base 10

6. Circular and Hyperbolic Functions and Relations

sin, cos, tan, cosec, sec, cot	}	the circular functions
sin ⁻¹ , cos ⁻¹ , tan ⁻¹ , cosec ⁻¹ , sec ⁻¹ , cot ⁻¹	}	the inverse circular relations
sinh, cosh, tanh, cosech, sech, coth	}	the hyperbolic functions
sinh ⁻¹ , cosh ⁻¹ , tanh ⁻¹ , cosech ⁻¹ , sech ⁻¹ , coth ⁻¹	}	the inverse hyperbolic relations

7. Complex Numbers

i	square root of -1
z	a complex number, $z = x + iy$
	$= r(\cos\theta + \mathrm{i}\sin\theta), r \in \mathbb{R}_0^+$
	$=r\mathrm{e}^{\mathrm{i} heta},r\in\mathbb{R}_{0}^{+}$
Re z	the real part of z , Re $(x + iy) = x$
Im z	the imaginary part of z, $\operatorname{Im}(x + iy) = y$
	the modulus of z , $ x + iy = \sqrt{(x^2 + y^2)}$, $ r(\cos \theta + i \sin \theta) = r$
arg z	the argument of z , $\arg(r(\cos\theta + i\sin\theta)) = \theta$, $-\pi < \theta \le \pi$
z*	the complex conjugate of z , $(x + iy)^* = x - iy$

8. Matrices

M	a matrix M
M^{-1}	the inverse of the square matrix ${\bf M}$
\mathbf{M}^{T}	the transpose of the matrix ${f M}$
det M	the determinant of the square matrix ${f M}$

9. Vectors

a	the vector a
\overrightarrow{AB}	the vector represented in magnitude and direction by the directed line segment AB
â	a unit vector in the direction of the vector ${\bf a}$
i, j, k	unit vectors in the directions of the cartesian coordinate axes
a	the magnitude of a
$ \overrightarrow{AB} $ a.b	the magnitude of \overrightarrow{AB} the scalar product of $\bf a$ and $\bf b$
	·
$\mathbf{a} \times \mathbf{b}$	the vector product of a and b

10. Probability and Statistics

A. P. C. oto	evente
A , B , C , etc. $A \cup B$	events union of events A and B
$A \cap B$	intersection of the events A and B
P(A)	probability of the event A
A'	complement of the event A , the event 'not A '
P(A B)	probability of the event A given the event B
X, Y, R, etc.	random variables
x, y, r, etc.	values of the random variables <i>X, Y, R,</i> etc.
	observations
x_1, x_2, \ldots f_1, f_2, \ldots	frequencies with which the observations x_1, x_2, \dots occur
f_1, f_2, \dots p(x)	the value of the probability function $P(X=x)$ of the discrete
p(x)	random variable X
p_1, p_2, \ldots	probabilities of the values $x_{1,}x_{2},\dots$ of the discrete random variable X
$f(x), g(x), \ldots$	the value of the probability density function of the continuous random variable \boldsymbol{X}
F(x), $G(x)$,	the value of the (cumulative) distribution function $\mathbf{P}(X \mid x)$ of the random variable X
E(X)	expectation of the random variable X
E[g(X)]	expectation of $g(X)$
Var(X)	variance of the random variable X
G(t)	the value of the probability generating function for a random variable which takes integer values
B(n, p)	binomial distribution, parameters n and p
$Po(\mu)$	Poisson distribution, mean μ
$N(\mu, \sigma^2)$	normal distribution, mean μ and variance σ^2
μ	population mean
σ^2	population variance
σ	population standard deviation
\overline{x}	sample mean
s^2	unbiased estimate of population variance from a sample,
	$s^2 = \frac{1}{n-1} \sum \left(x - \overline{x} \right)^2$
ϕ	probability density function of the standardised normal variable with distribution N (0, 1) $$
Φ	corresponding cumulative distribution function
ρ	linear product-moment correlation coefficient for a population
r	linear product-moment correlation coefficient for a sample
Cov(X, Y)	covariance of X and Y

7. Resource list

The following titles represent some of the texts available in the UK at the time of printing this booklet. Teachers are encouraged to choose texts for class use which they feel will be of interest to their students and will support their own teaching style. ISBN numbers are provided wherever possible.

Author	Title	Date	Publisher	ISBN
Backhouse, J K and Houldsworth S P T	Essential Pure Mathematics: A First Course	1991	Longman	0582066581
Backhouse, J K and Houldsworth S P T	Pure Mathematics: A First Course	1985	Longman	0582353866
Bostock L and Chandler S	Mathematics: Core Maths for Advanced Level	2000	Nelson Thornes	0748755098
Bostock L and Chandler S	Mathematics: Pure Mathematics 1	1978	Nelson Thornes	0859500926
Emanuel, R	Pure Mathematics 1	2001	Longman	0582405505
Harwood Clarke, L	Additional Pure Mathematics	1980	Heinemann	0435511874
Talbert, J F	Additional Maths Pure and Applied	1995	Longman	0582265118

8. Other information

Equality and inclusion

Cambridge International Examinations has taken great care in the preparation of this syllabus and assessment materials to avoid bias of any kind. To comply with the UK Equality Act (2010), Cambridge has designed this qualification with the aim of avoiding direct and indirect discrimination.

The standard assessment arrangements may present unnecessary barriers for candidates with disabilities or learning difficulties. Arrangements can be put in place for these candidates to enable them to access the assessments and receive recognition of their attainment. Access arrangements will not be agreed if they give candidates an unfair advantage over others or if they compromise the standards being assessed.

Candidates who are unable to access the assessment of any component may be eligible to receive an award based on the parts of the assessment they have taken.

Information on access arrangements is found in the *Cambridge Handbook* which can be downloaded from the website **www.cie.org.uk/examsofficers**

Language

This syllabus and the associated assessment materials are available in English only.

Grading and reporting

Cambridge O Level results are shown by one of the grades A*, A, B, C, D or E, indicating the standard achieved, A* being the highest and E the lowest. 'Ungraded' indicates that the candidate's performance fell short of the standard required for grade E. 'Ungraded' will be reported on the statement of results but not on the certificate. The letters Q (result pending), X (no results) and Y (to be issued) may also appear on the statement of results but not on the certificate.

Entry codes

To maintain the security of our examinations, we produce question papers for different areas of the world, known as 'administrative zones'. Where the component entry code has two digits, the first digit is the component number given in the syllabus. The second digit is the location code, specific to an administrative zone. Information about entry codes can be found in the *Cambridge Guide to Making Entries*.

Cambridge International Examinations 1 Hills Road, Cambridge, CB1 2EU, United Kingdom Tel: +44 (0)1223 553554 Fax: +44 (0)1223 553558 Email: info@cie.org.uk www.cie.org.uk

® IGCSE is the registered trademark of Cambridge International Examinations

© Cambridge International Examinations February 2015



