



Cambridge International AS & A Level

COMPUTER SCIENCE

9618/02

Paper 2 Fundamental Problem-solving and Programming Skills

For examination from 2021

SPECIMEN INSERT

2 hours

INFORMATION

- This insert contains all the resources referred to in the questions.
- You may annotate this insert and use the blank spaces for planning. **Do not write your answers** on the insert.



This document has 4 pages. Blank pages are indicated.

Pseudocode Functions

An error is generated if the syntax is incorrect, or if a parameter type is incorrect.

`MID(ThisString : STRING, x : INTEGER, y : INTEGER)` RETURNS STRING
returns a string of length `y` starting at position `x` from `ThisString`

Example: `MID("ABCDEFGH", 2, 3)` returns "BCD"

`LENGTH(ThisString : STRING)` RETURNS INTEGER
returns the integer value representing the length of `ThisString`

Example: `LENGTH("Happy Days")` returns 10

`LEFT(ThisString : STRING, x : INTEGER)` RETURNS STRING
returns leftmost `x` characters from `ThisString`

Example: `LEFT("ABCDEFGH", 3)` returns "ABC"

`RIGHT(ThisString: STRING, x : INTEGER)` RETURNS STRING
returns rightmost `x` characters from `ThisString`

Example: `RIGHT("ABCDEFGH", 3)` returns "FGH"

`LCASE(ThisChar : CHAR)` RETURNS CHAR
returns the character value representing the lower case equivalent of `ThisChar`

If `ThisChar` is not an upper-case alphabetic character, it is returned unchanged.

Example: `LCASE('W')` returns 'w'

`UCASE(ThisChar : CHAR)` RETURNS CHAR
returns the character value representing the upper case equivalent of `ThisChar`

If `ThisChar` is not a lower-case alphabetic character, it is returned unchanged.

Example: `UCASE('a')` will return 'A'

`TO_UPPER(ThisString : STRING)` RETURNS STRING
returns a string formed by converting all alphabetic characters of `ThisString` to upper case.
Non-alphabetic characters are unchanged.

Example: `TO_UPPER("Disk Error 27")` returns "DISK ERROR 27"

`TO_LOWER(ThisString : STRING)` RETURNS STRING
returns a string formed by converting all alphabetic characters of `ThisString` to lower case.

Non-alphabetic characters are unchanged.

Example: `TO_LOWER("ERROR - Password Invalid")` returns "error - password invalid"

NUM_TO_STRING(x : REAL) RETURNS STRING
 returns a string representation of a numeric value.
 Note: This function will also work if x is of type INTEGER

Example: NUM_TO_STRING(87.5) returns "87.5"

STRING_TO_NUM(x : STRING) RETURNS REAL
 returns a numeric representation of a string.
 Note: This function will also work if x is of type CHAR

Example: STRING_TO_NUM("87.5") returns 87.5

INT(x : REAL) RETURNS INTEGER
 returns the integer part of x

Example: INT(27.5415) returns 27

ASC(ThisChar : CHAR) RETURNS INTEGER
 returns the ASCII value of ThisChar

Example: ASC('A') returns 65

CHR(x : INTEGER) RETURNS CHAR
 returns the character whose ASCII value is x

Example: CHR(87) returns 'W'

MOD(ThisNum : INTEGER, ThisDiv : INTEGER) RETURNS INTEGER
 returns the integer value representing the remainder when ThisNum is divided by ThisDiv

Example: MOD(10, 3) returns 1

DIV(ThisNum : INTEGER, ThisDiv : INTEGER) RETURNS INTEGER
 returns the integer value representing the whole number part of the result when ThisNum is divided by ThisDiv

Example: DIV(10, 3) returns 3

Pseudocode Operators

Operator	Description
&	Used to concatenate (join) two strings Example: "Summer" & " " & "Pudding" produces "Summer Pudding"
AND	Used to perform a logical AND on two Boolean values Example: TRUE AND FALSE produces FALSE
OR	Used to perform a logical OR on two Boolean values Example: TRUE OR FALSE produces TRUE
NOT	Used to perform a logical NOT on a Boolean value Example: NOT FALSE produces TRUE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.